No. randomized	Asbestos-exposed Participants 4,060		<u>Heavy Smokers</u> 14,254		<u>Total</u> 18,314	
Age Mean (SD)	57	(7)	58	(5)	58	(6)
Sex Male Female	4,060 0	(100%) (0%)	7,965 6,289	(56%) (44%)	12,025 6,289	(66%) (34%)
Race White African-American Hispanic Asian/Pac Islander Am Indian Other	3,580 305 79 29 41 26	(88%) (8%) (2%) (<1%) (1%) (<1%)	13,487 225 196 178 108 52	(95%) (2%) (1%) (1%) (<1%) (<1%)	17,067 530 275 207 149 78	(93%) (3%) (2%) (1%) (<1%) (<1%)
Smoking Status Never Former Current	133 2,370 1,557	(3%) (58%) (38%)	0 4,806 9,448	(0%) (34%) (66%)	133 7,176 11,005	(1%) (39%) (60%)
Pack-year ¹ Mean (SD)	43	(24)	49	(21)	48	(22)
Cigarettes/day ¹ Former Smoker Mean (SD) Current Smokers Mean (SD)	25 24	(12) (10)	28 24	(11) (8)	27 24	(11) (9)
Years Quit ² Mean (SD) 0-5 6-10 11-15 16-20 21-25 26+ Unknown	10 826 689 555 83 76 136 5	(8) (35%) (29%) (23%) (4%) (3%) (6%) (<1%)	3 4,327 479 0 0 0 0 0	(2) (90%) (10%) (0%) (0%) (0%) (0%) (0%)	5 5,153 1,168 555 83 76 136 5	(6) (72%) (16%) (8%) (1%) (1%) (2%) (<1%)

BASELINE CHARACTERISTICS BY EXPOSURE POPULATION

Former and current smokers only.
Former smokers only; note different eligibility criteria for Pilot and Efficacy recruitment.